

## SoftSound offers the industry's strongest and most comprehensive QA/QC and Shop Floor Control Program.

SoftSound™ is ideally suited for all noise wall applications.

- Meets or exceeds all state & provincial performance requirements.
- Strict quality control standards ensure consistency and longevity of product.
- Currently in use on highways in the Commonwealth of Virginia, Maryland, and the Province of Ontario.

### Extensively Tested\*

- ASTM C423 – NRC = 0.80
- ASTM C423 (Stained) – NRC = 0.80
- ASTM C666 Procedure A – Freeze Thaw
- ASTM C666 Procedure B – Freeze Thaw
- ASTM C672 – Salt Scaling
- ASTM C672 (WI Method) – Salt Scaling
- ASTM E84 – Flame & Smoke
- CAN/ULC-S102.2-10 Flame & Smoke
- ASTM E90 – Sound Transmission Loss

\*Test reports available upon request



2411 First Street Louth, St. Catharines, Ontario, L2R 6P7, Canada  
phone: (905) 684-8568, toll free: 800-229-8568, fax: (905) 684-8560  
[www.hygradeprecast.com](http://www.hygradeprecast.com)



[www.SoftSoundWall.com](http://www.SoftSoundWall.com) • 800-547-4045

(800) 547-4045 • [info@easiset.com](mailto:info@easiset.com) • [www.EASISSET.com](http://www.EASISSET.com)

EASI-SET® Worldwide • 5119 Catlett Rd., Midland, VA 22728  
EASI-SET® Worldwide is a licensor of precast concrete products worldwide and a wholly owned subsidiary of SMITH-MIDLAND Corporation, a publicly traded company. Copyright 2017 by EASI-SET® Worldwide. All rights reserved. Printed in USA.

## Absorptive Sound Wall Technology

Incorporating the industry's strongest and most comprehensive QA/QC and shop floor control program.



Available Only From



Licensed Producers







SoftSound™ represents the LEADING EDGE in the precast concrete sound wall market, outperforming all other systems.



- Resists rot, decay, mildew, mold, insect nesting, vermin, termites, and combustion
- Environmentally friendly & 100% recyclable
- Durable under all weather conditions
- Can be stained or cast using integral pigment to provide a wide range of colors and form liner finishes
- Suitable for other sound applications
- Based on European technology with a 50-year history of success

- A porous lightweight aggregate-based cementitious material averaging 36-40 pounds per cubic foot



Superior Sound Absorptive Technology™

Produced locally under a license from Easi-Set Worldwide



SoftSound™ absorptive precast concrete walls are not just effective, they also offer the industry's best life-cycle cost value.

